

# **35kV busbar disconnection phenomenon**





## Overview

---

The substation and SCADA system will issue signals such as "35kV busbar grounding" or "Arc Suppression Coil No. The voltage of the faulted phase drops, while the other two phase voltages rise. This article introduces a case of 35kV ring main unit busbar insulation breakdown failure, analyzes the failure causes and proposes solutions , providing reference for the construction and operation of new energy power stations. Common methods of protecting busbars include overcurrent-based interlocking schemes, overcurrent-based differential protection, high-impedance differential protection, and percentage differential protection. Busbar protection (BBP): Protection intended to detect and operate to clear faults on a busbar.



## 35kV busbar disconnection phenomenon

---

## Fault arcs on busbar sets and switchboards

---

This phenomenon is sometimes observed when an installation is switched on again after being shut down for a period of several days. during

## Bus Protection Theory

---

Protection of the busbar may be complicated and varies with the topology of the bus. Many busbars connect all circuits to one common segment of busbar. The complication for these buses is simply



## **Influence of circuit breaker features on switching overvoltage of 35kV**

---

When cutting off shunt reactor on no-load busbar, it is inevitable for phenomenon such as chopping current, arc reignition and equivalent chopping current to appear during the switching process.

## **BUSBAR PROTECTION**

---

The calculated current results in disconnection of the faulty busbar by the busbar differential protection. In the case of current transformers arranged on the line side, the fault must be disconnected by the

## **35kV Distribution Line Single-Phase Ground Fault Handling**

---

I. Identification of Single-Phase-to-Ground Faults on 35kV Auxiliary Busbars. When single-



phase-to-ground faults, ferroresonance, phase loss, or high-voltage fuse blowouts in voltage transformers

## "Busbar Systems"

---

Large facilities often incorporate a further switching option enabling longitudinal disconnection of long busbar systems. Called longitudinal coupling, this option can be combined with transverse coupling

## 35kV RMU Busbar Failure Due to Installation Errors

---

This paper introduces a 35kV ring main unit busbar insulation breakdown fault, conducted on-site fault inspection, fault waveform analysis, and fault cause analysis.



## **Design issues in HV busbar protection systems**

---

Busbar protection (BBP) This technical article discusses criteria and requirements for designing protection systems for busbars in HV/EHV networks.

## **Suppression Effects of Circuit Breaker Characteristics on Switching**

---

Equipment breakdowns caused by switching overvoltage of 35kV shunt reactor on no-load busbar in 220kV substation occur frequently, endangering the safe and stable operation of the

## **Investigation on Very Fast Transient Overvoltage Caused by**

---

Currently, research on the ultra-fast transient overvoltage is mainly focused on GIS disconnect switches (DSes) [6-12]. Research on air-insulated DS is relatively few, and



there is currently no research on

## **OVERVOLTAGE AT THE TRANSFORMER WHEN**

---

The disconnection of two-phase short circuits to ground results in a voltage increase in the HV busbar systems of substation SS2 by nearly 2.5 times--an increase even greater than that observed during

## **The protection of busbars**

---

In practice, because of the amount of interconnection of circuits and the possibility of back feeds from load circuits, all the circuits connected to a faulted section of bus bar are disconnected.



## **Suppression Effects of Circuit Breaker Characteristics on Switching**

---

In this paper, the mechanism, perniciousness and suppression of shunt reactor switching overvoltage were systematically analyzed.

## **Judgment and treatment method of 35 kV system voltage anomaly**

---

Phenomenon: Section II voltage  $U_a=25$  kV,  $U_b=27$  kV,  $U_c=13$  kV, busbar is grounded, and the voltage of the outgoing substation is normal. The 35 kV system in the power system is

## **3D Multi-field Coupling Analysis of Three-Phase GIS**

---

The busbar is the primary candidate to distribute the energy and supply in and around the substation. The busbar makes the electrical energy



## **Design and installation of low voltage busbar trunking**

---

Cable jointer not required. Busbar trunking systems may be dismantled and re-used in other areas. Busbar trunking systems provide a better

## **Busbar Differential Protection Scheme**

---

The goal was to ensure that faults in any feeder or transformer connected to the busbar did not affect the entire busbar system. However, the

## **Top Busbar Protection Issues That Worry Protection**

---



As CT at the terminal may be saturated due to large out-coming current, the busbar protection has possibility not to operate correctly. One of the

## **Influence of circuit breaker features on switching overvoltage of 35kV**

---

When cutting off shunt reactor on no-load busbar, it is inevitable for phenomenon such as chopping current, arc reignition and equivalent chopping current to ap

## **Top Busbar Protection Issues That Worry Protection**

---

A busbar protection must be capable of clearing all phase-to-earth faults, and in the case where they can occur, phase-to-phase faults.



## Coordination and protection of busbar distribution

---

In order to take account of busbar trunking thermal overload protection, the various protection switchgear technologies and the maximum opening currents for protection devices in overload

## System pattern of 35 kV bus and electrical monitoring

---

Download scientific diagram , System pattern of 35 kV bus and electrical monitoring signals from publication: Novel Method for Restraining 35kV Shunt Reactor

## Bus Protection Theory

---

Busbar Protection Techniques The choice of protection technique used for a specific



busbar depends on the protection requirements for speed and security, balanced against the cost of implementing a

## Bus Bar Theory of Operation

---

Figure 1 shows the alternate approach using two DRV425 devices. When a cutout (hole or slot) is placed in the center of the bus bar, the current is split in two equal parts. Each side of the cutout will

## Busbar Differential Protection Scheme

---

Busbar Differential Protection Definition: Busbar differential protection is a scheme that quickly isolates faults by comparing currents entering and



## **(PDF) A Blocking Method for Bus Protection of CT Disconnection and**

---

Abstract and Figures Current transformer (CT) disconnection in busbar can lead to erroneous operation of busbar differential protection. The existing methods for handling CT

## **35kV Substation Electrical Design**

---

This document is a graduation thesis on the electrical primary design of a 35kV substation. It includes an abstract that outlines the design of a 35kV substation

### **Contact Us**

---

For datasheets, pricing, or custom optical networking solutions, please visit:  
<https://www.entrenamientointeligente.es>