



Columbia CFP 82 5G

Component Diagram



Key dimensions





Columbia CFP 82 5G

Columbia Lighting / Current

Shop Columbia Lighting / Current - CFP22-3335 - 2x2 Edge-Lit Flat Panel, 32W, 3300L, 3500K, 120-277V, (Each) in Lighting Fixtures & Accessories , Electrical & Lighting. Find millions of products on

Sustainable Hardwood Plywood & Veneers , Columbia

DiscoverColumbiaForestProducts,NorthAmerica'slargestmanufacturerofsustainable, decorative hardwood plywood and veneers for residential and



Columbia Lighting CFP LED Flat Panel, 2x4 CFP24-LSCS , Zoro

Order Columbia Lighting CFP LED Flat Panel, 2x4, CFP24-LSCS at Zoro . Great prices & free shipping on orders over \$50 when you sign in or sign up for an account.

CFP

gn. Light classrooms, offices, medical facilities, cleanrooms and general public spaces using edge-to-edge illumination, without pixelation or bright spots. Switchable Lumen technology creates built-in

Columbia CFP24-7535 2x4 Light Fixture

Mouse over image to zoom, click to enlarge
Description: Columbia CFP24-7535 2x4 Light Fixture
Technical Description: 2X4 LT FX UPC: 07853114068 Part Number: CFP24-7535
Retail Price:



LED FLAT PANEL 2X2 3382 LM 3500 K DIM

CFP, 2x2, Color Temperature: 3500 K, Light Output: 3,382 lm, Wattage: 32 W, Mounting Type: Recessed, Driver type: 0-10V dimming, Voltage Rating: 120-277 VAC.

COL CFP22-3335 EDGE LIT FLAT PANEL , Cooper Electric

DISCONTINUED - CFP Series, Flat panel, 2x2, Color Temperature: 3500 K, Switchable Technology: Switchable Lumen & CCT, Color Rendering Index (CRI): 80 CRI, Light Output

Columbia Edge-Lit Flat Panel, 2x2, Switchable



Lumen Technology,

The CFP offers edge-lit LED technology in a sleek, modern, flat panel design. Light classrooms, offices, medical facilities, cleanrooms and general public spaces using edge-to-edge illumination, without

Features and Benefits

Features and Benefits Attractive, Cost-Effective, Reliable The CFP offers Edge-Lit LED technology in a sleek, modern, flat panel design. Light classrooms, offices, medical facilities, cleanrooms and general

Columbia

Features Seamless white opal or satin white acrylic Low profile canopy may be mounted on flat or sloped ceilings up to 40° Field serviceable LED Standard 1% 0



Columbia CFP24-7540 2x4 Light Fixture

Mouse over image to zoom, click to enlarge Description: Columbia CFP24-7540 2x4 Light Fixture Technical Description: 2X4 LT FX UPC: 07853114069 Part Number: CFP24-7540 Retail Price:

DATE: LOCATION: TYPE: PROJECT: CFP CATALOG

K753456135 10-Day Quick-Ship options: Add ELL14 (Emergency Battery Pack Installed, 1400 Lumens) or C588 (5-wire Flex) to any stocked option. Examples: .

Columbia Lighting , Current



Make the transition to NBT lighting solutions engineered for maximum configurability, choice, and control. Confidently use C65 Series high bay with Switchable Lumen & CCT for demanding industrial

LED Troffers and Flat Panel Lighting , Current

COLUMBIALIGHTING Stratus® -LSTE The Stratus -LSTE architectural recessed fixture is a direct/indirect luminaire that provides a clean ceiling at mounting heights as low as 8 feet.

Columbia Lighting , Current

With aggressive research and development strategies, Columbia has distinguished itself since 1897 as a pioneer in the lighting industry. As a producer of a wide variety of specification and commercial-grade



Columbia Lighting LED Panel, 2 x 4, CCT selectable CFP24-75CS , Zoro

Order Columbia Lighting LED Panel, 2 x 4, CCT selectable, CFP24-75CS at Zoro . Great prices & free shipping on orders over \$50 when you sign in or sign up for an account.

CFP* Illuminated Pushbuttons

The CFP.** explosion-protected illuminated pushbutton LED contact modules series is suitable for use in hazardous area zones 1 and 2. Use the explosion-protected illuminated pushbutton LED contact

CFP24-7540 COLUMBIA , Great Lakes Automation Supply



Columbia Lighting tradeSELECT® CFP24-7540 CFP Series Dimming Edge-Lit Flat Panel, Integrated LED Lamp, 120/277 V, Extruded Aluminum Housing Log In for Pricing and Availability

DATE: LOCATION: TYPE: PROJECT: CFP-LSCS CATALOG #

2'x4' Recessed Mount 0.4" (9.3mm) 47.7" (1212mm) 1.0" (25.4mm) (all sides) 1.68" (42.6mm) 11.82" (300.2mm) 23.7" (602mm) 1'x4' Surface Mount

Features and Benefits

Cost-Effective, Reliable The CFP offers Edge-Lit LED technology in a sleek, modern, flat panel design. Light classrooms, offices, medical facilities, cleanrooms and general public spaces using edge-to-edge



CFP DESCRIP

ION The CFP offers edge-lit LED technology in a sleek, modern, flat panel design. Light classrooms, offices, medical facilities, and general public spaces using edge-to-edge illumination, without

Contact Us

For datasheets, pricing, or custom optical networking solutions, please visit:
<https://www.entrenamientointeligente.es>