

Fiji Tunable Optical Module 200G





Fiji Tunable Optical Module 200G

200G CFP2-DCO DWDM 1200km Tunable Transceiver

The module is mainly divided into three main functions: DSP, optical device and control unit. All the control interface pins are implemented by the internal control unit, which can also be used for the

Customized CFP2-DCO 100G/200G DWDM C-band

Customized CFP2-DCO 100G/200G DWDM C-band Tunable 96 Chs ITU CH13-CH60 50GHz
80km DOM Duplex LC/UPC SMF Optical Transceiver



Source Photonics Announce the Product Availability of its 200G per

Visit Us at OFC'25 exhibition! Live demonstrations of the 1.6T and 800G product family of optical modules will be conducted during the OFC'24 exhibition, together with 800G LPO/LRO, 10/25G/100G

200G Optical Transceiver Modules , Broadex Technologies

Broadex Technologies' high performance and cost effective 200G Optical Transceiver Modules are built utilizing our innovative COB technology in a

H2O 1561.01nm CFP2-DCO 100G/200G DWDM C-band Tunable

The M Series CFP2-DCO Coherent transceiver is fully tunable across the 50GHz ITU-T grid



frequency range, and supports flex-grid DWDM tuning. It provides 100/200GBase-DCO throughput up to 80km

Optical Module Names

Use "200G CFPT23 (LHD, SDFEC2@200G e16QAM/100G QPSK/etc.,flex rate, Coherent,Tunable,ExtendedBand,-10dBm-4dBm,-18dBm,Flexgrid)-HighOpticalPower" as an

RG 200GBASE Series

The 200G-Q56-SR4-MM850 is aligned to IEEE 200GBASE-SR4 optical specifications and supports a link length of up to 100 meters over a multimode fiber (MMF) with an MPO-12 APC connector.



200G CFP2-DCO DWDM 1200km Tunable Transceiver

200G CFP2-DCO DWDM 1200km Tunable Transceiver The Coherent 100G/200G CFP2-DCO 1200km optical module, using a 104pin CFP2-MSA connector, serves as an electrical interface to the system

100G/200G CFP2 DCO DWDM C-band 50GHz Tunable

100G/200G CFP2 DCO DWDM C-band 50GHz Tunable 120~1200km Coherent Optical Transceiver FIBERSTAMP 100G/200G CFP2 DCO supports 100/200GE and OTN links reach up to 80km or

Generic Compatible CFP2 DCO 200G DWDM Tunable Coherent

Meet high traffic demands with coherent optics for DCI, metro access, aggregation, and



long-haul networks. Learn more 200G Coherent CFP2 DCO Transceiver Module (DP-16QAM, Tunable, 80km,

200G Coherent CFP2 Optical Module Explained

200G CFP2-DCO coherent optical modules are mainly used for high-capacity, long-haul DWDM transmission. They support dual-rate 100G/200G

200G Optical Transceivers

200G Optical Transceivers High-speed 200G Optical Transceivers for Bandwidth-intensive Applications Westbury Photonics offers a range of 200G (200GBASE)



200G CFP2 Module , FS CFP2-DCO Coherent

Generic Compatible CFP2 DCO 100G/200G DWDM Tunable Coherent ITU CH13-CH60 50GHz 80km DOM Duplex LC/UPC SMF Optical Transceiver Module for

100G/200G CFP2-DCO COHERENT MODULE Transceiver

Jabil Photonics CFP2-DCO module can be used on host board to support transmission over DWDM links in Metro networks, Data Center Interconnect (DCI), and Long Haul (LH) applications, as well as

200G Tunable CFP2-DCO Coherent Transceiver - F-tone Networks

This CFP2 coherent optical module supports wavelengths from 1528 to 1567 nm and has a transmission capacity of up to 200 Gbps. With EDFA for transmission, point-to-point



can reach 1000km.

200G Modules

Testing Modules & Tools Smart Optical Transceiver BOX GIGALIGHT provides the smart box tools for online coding of SFP, XFP, SFP+, QSFP+, and QSFP28 optics, as well as wavelength tuning for 10G

400G DWDM Tunable CFP2 DCO 80km DOM Duplex

400G Coherent CFP2-DCO Transceiver Module (Tunable, 80km, LC/UPC) The CFP2-DCO-400G-D is a CFP2 form factor coherent pluggable module, compliant



100G/200G CFP2 DCO DWDM C-band 50GHz Tunable

It operates at full C-band tunable DWDM wavelengths with 50GHz channel spacing, and supports up to 96 channels over a single fiber, which can greatly save fiber resources. It is an ideal solution for long

200G/400G/800G Optical Transceiver Modules , FiberMall

200G/400G/800G optical module features up to 40km transmission distances using QSFP56/QSFP-DD footprints for data center interconnect applications - FiberMall

Lumentum TRB200DAA-01 Compatible 200G Coherent CFP2-DCO C-band Tunable

Lumentum TRB200DAA-01 Compatible 100G/200G Coherent CFP2 DCO Transceiver Module (DWDM C Band 50GHz Grid: 191.15-196.1GHz) The CFP2-DCO pluggable



transceiver is a CFP2 MSA

MAP-200 Multiport Tunable Filter Module

It eliminates the need to re-purpose optical network technology or use complex libraries with specialized interface cards. Based on next-generation liquid crystal on silicon (LCOS) technology, the mTFX-C1

Contact Us

For datasheets, pricing, or custom optical networking solutions, please visit:
<https://www.entrenamientointeligente.es>