

# **Huawei 10 Gigabit Single-Mode Dual-Fiber Optic Module 0sx040n01**





## Overview

---

02310CNF - Genuine Huawei OSX040N01 Optical Transceiver, SFP+, 10G, Single-mode Module (1550nm, 40km, LC) Basic Information Transmitter Optical Characteristics Receiver Optical Characteristics This 02310CNF is 100% genuine Huawei product. Supplier highlights: This supplier mainly exports to Singapore, Hong Kong, and Ethiopia, offers quality control services, and supports design and sample customization with a customer satisfaction rate of 97. This product is highly beneficial for data centers and enterprise networks needing robust and long-range connectivity. The 10G 1310nm 10km SM SFP+ Huawei optical transceiver is a high-performance, cost-effective solution for 10 Gigabit Ethernet applications over single-mode fiber (SMF). Engineered for long-distance data transmission up to 10 kilometers, this hot-pluggable SFP+ module operates at a 1310nm. The 10G single-mode optical module OSX010000 is Huawei's 10G single-mode optical module based on optical fiber transmission.



## Huawei 10 Gigabit Single-Mode Dual-Fiber Optic Module 0sx040n01

---

### **Huawei SFP-10G-LR-HU SFP+ 10GBASE-LR Singlemode Transceiver**

---

Diese Vorauswahl der weltweit besten Bauteile für optische Transceiver Module führt zu einer überdurchschnittlichen Lebensdauer aller SFP-10G-LR-HU kompatiblen BlueOptics 10GBASE-LR

### **SFP-GE-LX-SM1310**

---

Huawei Compatible SFP Transceiver Module QuickSpecs Technical Specifications 1000BASE-LX/LH Small Form-factor Pluggable (SFP). Standards based Gigabit



## **10G 1310nm 10km SM SFP+ Huawei Brand New Optical Transceiver**

---

Engineered for long-distance data transmission up to 10 kilometers, this hot-pluggable SFP+ module operates at a 1310nm wavelength, making it ideal for enterprise networks, metropolitan area

## **1.25G 2.5G 10G 40G 100G Dual Mode Huawei SFP**

---

Optical Transceiver Huawei Sfp Module Price 1.25G/2.5G/10G/40G/100G Dual Mode Sfp Fiber Transceiver Module Key Features Up to 1.25Gb/s Data Links Hot

## **1.25 Gbit/s SFP/eSFP Optical Module**

---

You can use different levels of 1.25 Gbit/s SFP/eSFP optical modules with GE interfaces and 10 GE interfaces. The wavelength of common 1.25 Gbit/s SFP/eSFP optical modules can be 850



## **100 Gigabit Single-mode Dual Fiber Optical Transceiver SFP-FE20**

---

Product Overview 100 Gigabit Single-mode Dual Fiber Optical Transceiver SFP-FE20-SM1310 is a high-performance networking module designed for long-distance, high-speed data transmission.

## **10-Gigabit Single-mode Optical Module Dual-fiber**

---

Supplier highlights: This supplier mainly exports to Singapore, Hong Kong, and Ethiopia, offers quality control services, and supports design and sample customization with a customer satisfaction rate of



## **Haile 10 Gigabit Single-mode Dual Fiber Optical Transceiver 40km**

---

Product Overview Haile 10 Gigabit Single-mode Dual Fiber Optical Transceiver SFP-XG-SM1550-40 is a high-performance, reliable networking module designed for long-distance data transmission up to

## **SFP+ 10GBase-LR 1310nm SingleMode Module, 10G**

---

1. High-Speed Connectivity: 1310nm 10GBase-LR SFP+ module offers blazing-fast 10 Gigabit Ethernet connectivity, delivering data at 10 Gb/s

## **BiDi Gigabit Single Mode SC Media Converter, 10/100/1000M**

---

Buy BiDi Gigabit Single Mode SC Media Converter, 10/100/1000M Fiber to Ethernet Converter, 1000Base-FX Single SC to 10/100/1000Base-T/TX RJ45, Built-in Fiber Module,



SMF, 1310/1550nm, 20km, 1 Pair: Network Transceivers - Amazon FREE DELIVERY possible on eligible purchases

## 10 Gbit/s SFP+ Optical Module

---

The wavelength of these 10 Gbit/s SFP+ optical modules can be 850 nm, 1310 nm, or 1550 nm, and the transmission distance ranges from 0.3 km (0.19 mi.) to 80 km (49.71 mi.). Figure 1

## Huawei SFP-10G-ER40 Compatible 10Gb SFP

---

Huawei SFP-10G-ER40 Compatible 10G SFP+ Module - Single-mode 1310nm Wavelength for up to 40km with Standard Compatibility This high-quality Huawei



## **Huawei SFP-10G-iLR SFP+ 10GBASE-LR Singlemode Transceiver**

---

The SFP-10G-iLR 10GBASE-LR LC Duplex SFP+ compatible with Huawei has a receiving function (receiver with 1310nm) and a transmitting function (transmitter with 1310nm) for the transmission of

## **SFP-10G-LR, Huawei SFP+ Optical Transceiver, 10G,**

---

The Huawei Optical Transceiver SFP-10G-LR is a versatile and high-performance 10G SFP+ module. Designed for single-mode fiber, it offers reliable 10km

## **01-10 OPTICAL MODULES**

---

Optical fibers are classified into single-mode and multimode fibers. Therefore, optical modules are also classified into single-mode and multimode modules to support different optical fibers.



## **10G single-mode OSX010000: a reliable solution for enterprise high**

---

The 10G single-mode optical module OSX010000 is Huawei's 10G single-mode optical module based on optical fiber transmission. It supports long-distance transmission and is suitable for data centers,

## **10G SFP+ Optical Transceivers , Transceiver Module**

---

FS 10GbE SFP+ module solutions provide a wide variety of 10 Gigabit Ethernet connectivity options for data centers, enterprise wiring closets, Internet Service

## **Langzhi: GPON EPON OLT ONU & SFP Manufacturer**

---



Langzhi China is a professional FTTH equipment manufacturer specializing in GPON/EPON OLT, ONU/ONT, and SFP modules compatible with Huawei & ZTE.

## **10 Gbit/s SFP+ Optical Modules**

---

10 Gbit/s SFP+ optical modules apply to 10 GE optical ports. The wavelength can be 850 nm, 1310 nm, or 1550 nm, and the transmission distance ranges from 0.5 km (0.31 mi) to 80 km (49.71 mi).

### **optical transceiver sfp+ 10g single mode module 1310nm 10km lc**

---

Upgrade networks with our optical transceiver sfp+ 10g single mode module 1310nm 10km lc. This LC transceiver delivers effortless 10km connectivity for data centers and servers.



## Contact Us

---

For datasheets, pricing, or custom optical networking solutions, please visit:  
<https://www.entrenamientointeligente.es>